Contents

Volume 98 1991

Commentary
Vasiliev, J. M.
Polarization of pseudopodial activities: cytoskeletal mechanisms 1

Sugrue, P., Avolio, J., Satir, P. and Holwill, M. E. J.
Computer modelling of *Tetrahymena* axonemes at macromolecular resolution: interpretation of electron micrographs 5

Burgess, S. A., Dover, S. D. and Woolley, D. M.
Architecture of the outer dynein arm ATPase in an avian sperm flagellum, with further evidence for the B-link 17

Chapin, S. J. and Bulinski, J. C.
Non-neuronal 210×10^3 M_r microtubule-associated protein (MAP4) contains a domain homologous to the microtubule-binding domains of neuronal MAP2 and tau 27

Joswig, G., Petzelt, C. and Werner, D.
Murine cDNAs coding for the centrosomal antigen centrosomin A 37

Bartles, J. R., Rao, M. S., Zhang, L., Fayos, B. E., Nehme, C. L. and Reddy, J. K.
Expression and compartmentalization of integral plasma membrane proteins by hepatocytes and their progenitors in the rat pancreas 45

Stearns, M. E., Wang, M. and Sousa, O.
Evidence that estramustine binds MAP-1A to inhibit type IV collagenase secretion 55

Zurzolo, C., Gentile, R., Mascia, A., Garbi, C., Polistina, C., Aloj. L., Avvedimento, V. E. and Nitsch, L.
The polarized epithelial phenotype is dominant in hybrids between polarized and unpolarized rat thyroid cell lines 65

Reynolds, A. J., Oliver, R. F. and Jahoda, C. A. B.
Dermal cell populations show variable competence in epidermal cell support: stimulatory effects of hair papilla cells 75

Coleman, L. and Harris, A.
Immortalization of male genital duct epithelium: an assay system for the cystic fibrosis gene 85

Honda, A., Noguchi, N., Takehara, H., Ohashi, Y., Asuwa, N. and Mori, Y.
Cooperative enhancement of hyaluronic acid synthesis by combined use of IGF-I and EGF, and inhibition by tyrosine kinase inhibitor genistein, in cultured mesothelial cells from rabbit pericardial cavity 93

Hernandez-Verdun, D., Robert-Nicoud, M., Geraud, G. and Masson, C.
Behaviour of nucleolar proteins in nuclei lacking ribosomal genes. A study by confocal laser scanning microscopy 101

Wang, X. and Traub, P.
Resinless section immunogold electron microscopy of karyo-cytoskeletal frameworks of eukaryotic cells cultured *in vitro*. Absence of a salt-stable nuclear matrix from mouse plasmacytoma MPC-11 cells 109

Symington, A. L., Zimmerman, S., Stein, J., Stein, G. and Zimmerman, A. M.
Hydrostatic pressure influences histone mRNA 125

Commentaries
Kuwano, M., Seguchi, T. and Ono, M.
Glycosylation mutations of serine/threonine-linked oligosaccharides in low-density lipoprotein receptor: indispensable roles of *O*-glycosylation 131

Bennett, D. C.
Colour genes, oncogenes and melanocyte differentiation 135

Palmberg, L., Lindgren, J. Å., Thyberg, J. and Claesson, H.-E.
On the mechanism of induction of DNA synthesis in cultured arterial smooth muscle cells by leukotrienes: possible role of prostaglandin endoperoxide synthase products and platelet-derived growth factor 141

Cassimeris, L. and Salmon, E. D.
Kinetochore microtubules shorten by loss of subunits at the kinetochores of prometaphase chromosomes 151

Larsen, P. M., Chen, T.-L. L. and Wolniak, S. M.
Neomycin reversibly disrupts mitotic progression in stamen hair cells of *Tradescantia* 159

Akashi, T. and Shibaoka, H.
Involvement of transmembrane proteins in the association of cortical microtubules with the plasma membrane in tobacco BY-2 cells 169

Shingyoji, C., Katada, J., Takahashi, K. and Gibbons, I. R.
Rotating the plane of imposed vibration can rotate the plane of flagellar beating in sea-urchin sperm without twisting the axoneme 175

Takahashi, K., Shingyoji, C., Katada, J., Eshel, D. and Gibbons, I. R.
Polarity in spontaneous unwinding after prior rotation of the flagellar beat plane in sea-urchin spermatozoa 183

Holifield, B. F. and Jacobson, K.
Mapping trajectories of Pgp-1 membrane protein patches on surfaces of motile fibroblasts reveals a distinct boundary separating capping on the lamella and forward transport on the retracting tail 191

Larkin, J. M. and Palade, G. E.
Transcytotic vesicular carriers for polymeric IgA receptors accumulate in rat hepatocytes after bile duct ligation 205

Tatham, P. E. R. and Gomperts, B. D.
Rat mast cells degranulate in response to microinjection of guanine nucleotide 217

Nicholson, L. J. and Watt, F. M.
Decreased expression of fibronectin and the $\alpha_5\beta_1$ integrin during terminal differentiation of human keratinocytes 225

Vessey, K. B., Ludwiczak, R. L., Briot, A. S. and Underwood, E. M.
abnormal chromatin (abc), a maternal-effect locus in *Drosophila melanogaster* 233

Lee, R. E. and Kugrens, P.
Attachment strips: a new type of hemidesmosome-like structure in the protozoon *Katablepharis ovalis* Skuja 245

Cossette, L. J. and Vincent, M.
Expression of a developmentally regulated cross-linking intermediate filament-associated protein (IFAPa-400) during the replacement of vimentin for desmin in muscle cell differentiation 251

Commentaries

Markl, J.
Cytokeratins in mesenchymal cells: impact on functional concepts of the diversity of intermediate filament proteins 261

Thorne, K. J. I. and Mazza, G.
Eosinophilia, activated eosinophils and human schistosomiasis 265

Meier, J., Campbell, K. H. S., Ford, C. C., Stick, R. and Hutchison, C. J.
The role of lamin LIII in nuclear assembly and DNA replication, in cell-free extracts of *Xenopus* eggs 271

Belgrader, P., Siegel, A. J. and Berezney, R.
A comprehensive study on the isolation and characterization of the HeLa S3 nuclear matrix 281

Beven, A., Guan, Y., Peart, J., Cooper, C. and Shaw, P.
Monoclonal antibodies to plant nuclear matrix reveal intermediate filament-related components within the nucleus 293

Meikrantz, W., Smith, D. M., Sladicka, M. M. and Schlegel, R. A.
Nuclear localization of an *O*-glycosylated protein phosphotyrosine phosphatase from human cells 303

Dilworth, S. M.
A perichromosomal region contains proteins phosphorylated during mitosis in *Xenopus laevis* cells 309

Shen, D.-W., Lu, Y.-G., Chin, K.-V., Pastan, I. and Gottesman, M. M.
Human hepatocellular carcinoma cell lines exhibit multidrug resistance unrelated to *MDR*1 gene expression 317

Woodcock, W., Williamson, I., Hassan, I. and Mackay, M.
Isolation and characterisation of clones from the Caco-2 cell line displaying increased taurocholic acid transport 323

Tuan, R. S., Moore, C. J., Brittingham, J. W., Kirwin, J. J., Akins, R. E. and Wong, M.
In vitro study of placental trophoblast calcium uptake using JEG-3 human choriocarcinoma cells 333

Boitano, S. and Omoto, C. K.
Membrane hyperpolarization activates trout sperm without an increase in intracellular pH 343

Morel, N., Brochier, G., Synguelakis, M. and Le Gal La Salle, G.
Immunological identification of a new 14×10^3 M_r membrane-bound protein in *Torpedo* electric organ 351

Edwards, J. G., Campbell, G., Grierson, A. W. and Kinn, S. R.
Vanadate inhibits both intercellular adhesion and spreading on fibronectin of BHK21 cells and transformed derivatives 363

Margolis, L. B. and Popov, S. V.
Induction of cell processes by local force 369

Tint, I. S., Hollenbeck, P. J., Verkhovsky, A. B., Surgucheva, I. G. and Bershadsky, A. D.
Evidence that intermediate filament reorganization is induced by ATP-dependent contraction of the actomyosin cortex in permeabilized fibroblasts 375

Adams, J. C., Furlong, R. A. and Watt, F. M.
Production of scatter factor by ndk, a strain of epithelial cells, and inhibition of scatter factor activity by suramin 385

Coopman, P. J., Bracke, M. E., Lissitzky, J. C., de Bruyne, G. K., van Roy, F. M., Foidart, J. M. and Mareel, M. M.
Influence of basement membrane molecules on directional migration of human breast cell lines *in vitro* 395

Sanders, E. J.
Embryonic cell invasiveness: an *in vitro* study of chick gastrulation 403

Díaz-Nido, J., Armas-Portela, R. and Avila, J.
Addition of protease inhibitors to the culture medium of neuroblastoma cells induces both neurite outgrowth and phosphorylation of microtubule-associated protein MAP-1B 409

Forer, A.
In ultraviolet microbeam irradiations, characteristics of the monochromator and lamp affect the spectral composition of the ultraviolet light and probably the biological results 415

Holy, J. and Schatten, G.
Differential behavior of centrosomes in unequally dividing blastomeres during fourth cleavage of sea urchin embryos 423

Commentaries

Baserga, R.
Growth regulation of the PCNA gene 433

Jordan, E. G.
Interpreting nucleolar structure: where are the transcribing genes? 437

Earnshaw, W. C. and Cooke, C. A.
Analysis of the distribution of the INCENPs throughout mitosis reveals the existence of a pathway of structural changes in the chromosomes during metaphase and early events in cleavage furrow formation 443

Lamprecht, J., Schroeter, D. and Paweletz, N.
Derangement of microtubule arrays in interphase and mitotic PtK2 cells treated with deuterium oxide (heavy water) 463

Liu, B. and Palevitz, B. A.
Kinetochore fiber formation in dividing generative cells of *Tradescantia*. Kinetochore reorientation associated with the transition between lateral microtubule interactions and end-on kinetochore fibers 475

Liu, G. and Newell, P. C.
Evidence that cyclic GMP regulates the association of myosin II heavy chain with the cytoskeleton by inhibiting its phosphorylation 483

Nave, R., Fürst, D., Vinkemeier, U. and Weber, K.
Purification and physical properties of nematode mini-titins and their relation to twitchin 491

McCaig, C. D. and Dover, P. J.
Factors influencing perpendicular elongation of embryonic frog muscle cells in a small applied electric field 497

Bray, D., Money, N. P., Harold, F. M. and Bamburg, J. R.
Responses of growth cones to changes in osmolality of the surrounding medium 507

Duband, J.-L., Dufour, S., Yamada, S. S., Yamada, K. M. and Thiery, J. P.
Neural crest cell locomotion induced by antibodies to β1 integrins. A tool for studying the roles of substratum molecular avidity and density in migration 517

Farmer, A. A. and Goss, S. J.
BWTG3 hepatoma cells can acquire phenylalanine hydroxylase, cystathionine synthase and CPS-1 without genetic manipulation, but activation of the silent OTC gene requires cell fusion with hepatocytes 533

Oparka, K. J., Murphy, R., Derrick, P. M., Prior, D. A. M. and Smith, J. A. C.
Modification of the pressure-probe technique permits controlled intracellular microinjection of fluorescent probes 539

Fritz, S. E., Hood, K. R. and Hood, E. E.
Localization of soluble and insoluble fractions of hydroxyproline-rich glycoproteins during maize kernel development 545

Knowles, G. C., McKeown, M., Sodek, J. and McCulloch, C. A. G.
Mechanism of collagen phagocytosis by human gingival fibroblasts: importance of collagen structure in cell recognition and internalization 551

Dargemont, C., Dunon, D., Salamero, J., Deugnier, M.-A., Davoust, J. and Thiery, J. P.
Overproduction and secretion of β_2-microglobulin by a rat thymic epithelial cell line that expresses MHC class I heavy chain 559

Armstrong, J. and Patel, S.
The Golgi sorting domain of coronavirus E1 protein 567

Vandré, D. D., Centonze, V. E., Peloquin, J., Tombes, R. M. and Borisy, G. G.
Proteins of the mammalian mitotic spindle: phosphorylation/dephosphorylation of MAP-4 during mitosis 577

Index of Authors 589

Index of Subjects 593